


Manufacturer BASS Force	Model 00 2-2
Serial #: Date:	(2-10-2017. Supply Voltage: 17-5 V
Technician: GT	
Continuous power output, Watts R.M.S	,
4Ω@1% Distortion	
Left	Right
338w @ Amps	339W @ 88.9 Amps
2 Ω @ 1% Distortion	
455 W @ Amps	457 W @ 142.8 Amps
1 Ω @ 2 % Distortion	
W @ Amps	W @ Amps
Bridge 4 Ω	2 Ω
912 W @ 144-8 Amps	W @ Amps



· 101

Manufacturer Bass Ame	Model
Serial #: Date:	パーパープロリフ Supply Voltage: パータ V
Technician: GT	
Continuous power output, Watts R.M.S	3 .,
4Ω@1% Distortion	
Left	Right
409W @ Amps	411 W @ 97.8 Amps
2 Ω @ 1% Distortion	
.557W @ Amps	574 W @ 158 8 Amps
1 Ω @ 2 % Distortion	
W @ Amps	W @ Amps
Bridge 4 Ω	2 Ω
(102 W @ 1597 Amp	sW @ Amps



Manufacturer	Fare	Model	182-7	
Serial #:	Date:	2-70-2017	Supply Voltag	e: 144 V
Technician: GT				
Continuous power outp	out, Watts R.M.S.,			
4Ω@1% Distortion				
Left		Right		
441 W @	2) Amps	442 W	@ / .8 Am	ps
2 Ω @ 1% Distortion				
618 W	2) Amps	620 W	@ 167.5 Ar	mps
1 Ω @ 2 % Distortion	1			
) Amps		' @ A	Amps
Bridge 4Ω		2 Ω		
1237 W	@ 169.5 Amps	/	.W @	Amps