

Amplifier test results

Manufacturer BASS BASE Model DB4.4

Serial #: Date: 12-10-2017 Supply Voltage: 12.5V

Continuous power output, Watts R.M.S., all channels driven.

	4 Ω @ 0.1%		
1	<u>107</u> W	} 49.3A	Bridged <u>325</u> W
2	<u>106</u> W		
3	<u>107</u> W		Bridged <u>327</u> W
4	<u>106</u> W		
	2 Ω @ 0.1%		
1	<u>163</u> W	} 91.2A	Bridged <u>✓</u> W
2	<u>162</u> W		
3	<u>163</u> W		Bridged <u>✓</u> W
4	<u>163</u> W		


Notes

.....

.....

.....

.....



Amplifier test results

Manufacturer BASS FACE Model DB4.4

Serial #: Date: 12-10-2017 Supply Voltage: 13.8V

Continuous power output, Watts R.M.S., all channels driven.

4 Ω @ 0.1%			
1	<u>126</u> W	} <u>54.4 A</u>	Bridged <u>388</u> W
2	<u>127</u> W		
3	<u>126</u> W		Bridged <u>391</u> W
4	<u>125</u> W		
2 Ω @ 0.1%			
1	<u>195</u> W	} <u>99.8 A</u>	Bridged W
2	<u>196</u> W		
3	<u>194</u> W		Bridged W
4	<u>196</u> W		


Notes

.....

.....

.....

.....



Amplifier test results

Manufacturer BASS FORCE Model DB 4.4

Serial #: Date: 12-10-2017 Supply Voltage: 14.4V

Continuous power output, Watts R.M.S., all channels driven.

4 Ω @ 0.1%			
1	<u>.139</u> W	} <u>56.7A</u>	Bridged <u>410</u> W
2	<u>.138</u> W		
3	<u>.136</u> W		Bridged <u>408</u> W
4	<u>.137</u> W		
2 Ω @ 0.1%			
1	<u>206</u> W	} <u>105.4A</u>	Bridged <u>✓</u> W
2	<u>205</u> W		
3	<u>204</u> W		Bridged <u>✓</u> W
4	<u>206</u> W		

Notes

POWER TERMINAL SEIZED - LOOSENED WITH LUBE SPRAY