

Amplifier test results

Manufacturer BASS ARE Model DB4.5

Serial #: Date: 12-10-2017 Supply Voltage: 12.5V

Continuous power output, Watts R.M.S., all channels driven.

4 Ω @ 0.1%			
1	<u>109</u> W	} 41.8A	Bridged <u>340</u> W
2	<u>108</u> W		
3	<u>108</u> W		Bridged <u>339</u> W
4	<u>108</u> W		

2 Ω @ 0.1%			
1	<u>170</u> W	} 75.0A	BridgedW
2	<u>170</u> W		
3	<u>169</u> W		BridgedW
4	<u>169</u> W		


Notes

.....

.....

.....

.....



Amplifier test results

Manufacturer BASS PROS Model DB 4.5

Serial #: Date: 12-10-2017 Supply Voltage: 15.8 V

Continuous power output, Watts R.M.S., all channels driven.

4 Ω @ 0.1%			
1	<u>135</u> W	} 47.4 A	Bridged <u>4.4</u> W
2	<u>136</u> W		
3	<u>134</u> W		Bridged <u>4.3</u> W
4	<u>135</u> W		
2 Ω @ 0.1%			
1	<u>208</u> W	} 83.0 A	Bridged W
2	<u>207</u> W		
3	<u>207</u> W		Bridged W
4	<u>206</u> W		


Notes

.....

.....

.....

.....



Amplifier test results

Manufacturer BASS RACE Model DB 405

Serial #: Date: 12-10-17 Supply Voltage: 14.4 V

Continuous power output, Watts R.M.S., all channels driven.

4 Ω @ 0.1%			
1	<u>143</u> W	} <u>49.4 A</u>	Bridged <u>453</u> W
2	<u>142</u> W		
3	<u>144</u> W		Bridged <u>455</u> W
4	<u>143</u> W		
2 Ω @ 0.1%			
1	<u>226</u> W	} <u>86.4 A</u>	BridgedW
2	<u>228</u> W		
3	<u>227</u> W		BridgedW
4	<u>228</u> W		

Notes

.....

.....

.....

.....